



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/773,287	02/09/2004	Arto Palin	27592-00837	8738
30678 7590 09/15/2008 CONNOLLY BOVE LODGE & HUTZ LLP 1875 EYE STREET, N.W. SUITE 1100 WASHINGTON, DC 20006				
EXAMINER				
HUANG, WEIN WU				
ART UNIT		PAPER NUMBER		
2618				
MAIL DATE		DELIVERY MODE		
09/15/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/773,287

Applicant(s)

PALIN ET AL.

Examiner

WEN W. HUANG

Art Unit

2618

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 August 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 26-52 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26-52 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SG/US)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/5/08 has been entered.

Claims 1-25 are cancelled.

Claims 26-52 are pending.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

1. Claims 26, 27, 29, 34, 35, 37, 42, 43 and 45 are rejected under 35 U.S.C. 102(e) as being anticipated by Jang et al. (US. Pub No. 2002/01679931 A1; hereinafter "Jang")

Regarding **claim 26**, Jang teaches a method of transmitting information by a wireless communication device (see Jang, fig. 6, Bluetooth device, para. [0029]), the method comprising:

monitoring an energy level (see Jang, fig. 6, measurement unit 61; para. [0031] and fig. 7, S710, para. [0034]) of a monitored frequency band of a selected frequency hopping pattern (see Jang, para. [0033]); and

transmitting data on a transmit frequency band of said selected frequency hopping pattern (see Jang, fig. 7, S730, S740 and S750; para. [0036]) following a predetermined time delay (see Jang, para. [0032-0033], 250 micro-second standby time) if said energy level indicates a particular condition of said monitored frequency band (see Jang, fig. 7, S720, para. [0035]).

Regarding **claim 27**, Jang teaches the method of Claim 26, wherein said transmit frequency band is the same as said monitored frequency band (see Jang, fig. 9B and para. [0033]), and wherein said particular condition comprises a condition that a pre-existing transmission in the monitored frequency band has been completed (see Jang, fig. 7, S720; fig. 9B, "listen f.9" of Piconet 2 detecting that "transmission f.9" of Piconet 1 (i.e. pre-existing transmission) has been completed).

Regarding **claim 29**, Jang teaches the method of Claim 26, further comprising: continuing to transmit further data according to said selected frequency hopping pattern (see Jang, fig. 9B, para. [0033]).

Regarding **claim 34**, Jang teaches a wireless transmitter apparatus (see Jang, fig. 6, Bluetooth device, para. [0029]) comprising:

means for monitoring an energy level (see Jang, fig. 6, measurement unit 61; para. [0031] and fig. 7, S710, para. [0034]) of a monitored frequency band of a selected frequency hopping pattern (see Jang, para. [0033]); and

means for transmitting data on a transmit frequency band of said selected frequency hopping pattern (see Jang, fig. 7, S730, S740 and S750; para. [0036]) following a predetermined time delay (see Jang, para. [0032-0033], 250 micro-second standby time) if said energy level indicates a particular condition of said monitored frequency band (see Jang, fig. 7, S720, para. [0035]).

Regarding **claims 35 and 37**, the dependent claims are interpreted and rejected for the same reasons set forth above in claims 27 and 29, respectively.

Regarding **claim 42**, Jang teaches a wireless communication device comprising:
a sensing module to monitor an energy level (see Jang, fig. 6, measurement unit 61; para. [0031] and fig. 7, S710, para. [0034]) of a monitored frequency band of a selected frequency hopping pattern;

a timing controller (see Jang, fig. 6, judgment unit 62 and Bluetooth wireless 65) coupled to the sensing module (see Jang, fig. 6, measurement unit 61) to provide an indication of said monitored frequency band to said sensing module (see Jang, fig. 7,

S700, para. [0033]), and to determine if the one or more detection signals indicate that a particular condition has been satisfied by the monitored frequency band (see Jang, fig. 7, S720; para. [0035]); and

a transmit module coupled to the timing controller to receive an indication to transmit data in a transmit frequency band of the selected frequency hopping pattern (see Jang, fig. 7, S730, S740 and S750; para. [0036]), wherein said indication is to be generated by the timing controller subsequent (see Jang, para. [0032-0033], 250 micro-second standby time) to the timing controller determining the particular condition has been satisfied by the monitored frequency band (see Jang, fig. 7, S720, para. [0035]).

Regarding **claims 43 and 45**, the dependent claims are interpreted and rejected for the same reasons set forth above in claims 27 and 29, respectively.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 28, 36 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jang as applied to claims 26, 34 and 42 above, and further in view of Schmidl et al. (US. Pub No. 2003/0206561 A1; hereinafter "Schmidl")

Regarding **claim 28**, Jang teaches the method of Claim 26, wherein said particular condition comprises a condition that there is no pre-existing transmission in the monitored frequency band (see Jang, fig. 7, S720, para. [0035]).

Jang is silent to teaching that wherein said transmit frequency band is different from said monitored frequency band. However, the claimed limitation is well known in the art as evidenced by Schmidl.

In the same field of endeavor, Schmidl teaches a method wherein said transmit frequency band (see Schmidl, fig. 4, para. [0060], channel M) is different from said monitored frequency band (see Schmidl, fig. 4, para. [0060], channel N).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Schmidl in order to advantageously select a frequency band whose communication quality is suitable for communication at a desire rate (see Schmidl, para. [0005]).

Regarding **claims 36 and 44**, the dependent claims are interpreted and rejected for the same reasons set forth above in claim 28.

3. Claims 30, 38 and 46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jang as applied to claims 26, 34 and 42 above, and further in view of Ryan (US. 6,333,937 B1).

Regarding **claim 30**, Jang teaches the method of Claim 26.

Jang is silent to teaching that wherein said data comprises one or more orthogonal frequency-division multiplexing (OFDM) symbols. However, the claimed limitation is well known in the art as evidenced by Ryan.

In the same field of endeavor, Ryan teaches a method wherein said data comprises one or more orthogonal frequency-division multiplexing (OFDM) symbols (see Ryan, col. 3, lines 35-41).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Ryan in order to improve the performance of the wireless communication (see Ryan, col. 3, lines 43-54).

Regarding **claims 38 and 46**, the dependent claims are interpreted and rejected for the same reasons set forth above in claim 30.

4. Claims 31-33, 39-41 and 50-52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jang as applied to claims 26, 34 and 42 above, and further in view of Adachi (US. 6,256,334 B1) .

Regarding **claim 31**, Jang teaches the method of Claim 26.

Jang is silent to teaching that further comprising:

selecting said selected frequency hopping pattern based on a determination of use of one or more frequency hopping patterns within a communication range of the

wireless communication device. However, the claimed limitation is well known in the art as evidenced by Adachi.

In the same field of endeavor, Adachi teaches a method in a wireless communications device (see Adachi, fig. 3), comprising

selecting said selected frequency hopping pattern (see Adachi, fig. 6, S3; col. 17, lines 53-56) based on a determination of use of one or more frequency hopping patterns within a communication range of the wireless communication device (see Adachi, fig. 6, S1 and S2; col. 17, lines 49-53; neighboring networks are within the communication range because there are overlapping of communication area).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Adachi in order to avoid communication collision and improve throughput (see Adachi, col. 3, lines 53-67).

Regarding **claim 32**, the combination of Jang and Adachi teaches the method of Claim 31, wherein said determination is based on at least one process selected from the group consisting of: detecting one or more frequency hopping patterns; and receiving one or more notifications of frequency hopping patterns being used (see Adachi, fig. 6, S1 and S2; col. 17, lines 49-53).

Regarding **claim 33**, the combination of Jang and Adachi teaches the method of Claim 31, wherein said selecting said selected frequency hopping pattern comprises

selecting a frequency hopping pattern that is being used within the communication range of the wireless communication device (see Adachi, fig. 6, S3; col. 17, lines 53-57).

Regarding **claims 39-41**, the dependent claims are interpreted and rejected for the same reasons set forth above in claims 31-33, respectively.

Regarding **claim 50**, Jang teaches the device of Claim 42.

Jang is silent to teaching that wherein said sensing module is further to sense the use of one or more frequency hopping patterns within a communication range of the device, and wherein the timing controller is to select said selected frequency hopping pattern based at least in part on one or more results obtained by the sensing module. However, the claimed limitation is well known in the art as evidenced by Adachi.

In the same field of endeavor, Adachi teaches a device wherein said sensing module is further to sense the use of one or more frequency hopping patterns within a communication range of the device (see Adachi, fig. 6, S1 and S2; col. 17, lines 49-53; neighboring networks are within the communication range because there are overlapping of communication area), and wherein the timing controller is to select said selected frequency hopping pattern based at least in part on one or more results obtained by the sensing module (see Adachi, fig. 6, S3; col. 17, lines 53-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of

Adachi in order to avoid communication collision and improve throughput (see Adachi, col. 3, lines 53-67).

Regarding **claim 51**, Jang teaches the device of Claim 42.

Jang is silent to teaching that wherein said device further comprises:

a receive module to receive one or more notifications about use of one or more frequency hopping patterns within a communication range of said device;

wherein the timing controller is to select said selected frequency hopping pattern based at least in part on said one or more notifications. However, the claimed limitation is well known in the art as evidenced by Adachi.

In the same field of endeavor, Adachi teaches a device comprising:

a receive module to receive one or more notifications about use of one or more frequency hopping patterns within a communication range of said device (see Adachi, fig. 6, S1 and S2; col. 17, lines 49-53);

wherein the timing controller is to select said selected frequency hopping pattern based at least in part on said one or more notifications (see Adachi, fig. 6, S3; col. 17, lines 53-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Adachi in order to avoid communication collision and improve throughput (see Adachi, col. 3, lines 53-67).

Regarding **claim 52**, Jang teaches the device of Claim 42.

Jang is silent to teaching that wherein said selected frequency hopping pattern corresponds to a frequency hopping pattern in use within a communication range of said device. However, the claimed limitation is well known in the art as evidenced by Adachi.

In the same field of endeavor, Adachi teaches a device wherein said selected frequency hopping pattern corresponds to a frequency hopping pattern in use within a communication range of said device (see Adachi, fig. 6, S1-3; col. 17, lines 49-57; neighboring networks are within the communication range because there are overlapping of communication area).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Adachi in order to avoid communication collision and improve throughput (see Adachi, col. 3, lines 53-67).

5. Claims 47 and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jang as applied to claim 42 above, and further in view of Sakoda et al. (US. 7,110,472 B2; hereinafter "Sakoda")

Regarding **claim 47**, Jang teaches the device of Claim 42.

Jang is silent to teaching that wherein said transmit module comprises:

a transmit buffer coupled to receive said indication from the timing controller; and a transform device coupled to an output of said transmit buffer to process data from the output of the transmit buffer to provide an output signal. However, the claimed limitation is well known in the art as evidenced by Sakoda.

In the same field of endeavor, Sakoda teaches a device wherein said transmit module (see Sakoda, fig. 10) comprises:

a transmit buffer (see Sakoda, fig. 10, buffer 81) coupled to receive said indication from the timing controller (see Sakoda, fig. 10, control section 82); and a transform device coupled to an output of said transmit buffer to process data from the output of the transmit buffer to provide an output signal (see Sakoda, fig. 10, IFFT 85; col. 14, lines 15-20 and 35-40).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Sakoda in order to prove a transmission method capable of performing desired communication without affecting other and/or neighboring communications (see Sakoda, col. 7, lines 3-8).

Regarding **claim 48**, the combination of Jang and Sakoda teaches the device of Claim 47, wherein said transform device comprises an inverse fast Fourier transform (IFFT) device (see Sakoda, fig. 10, IFFT 85).

6. Claim 49 is rejected under 35 U.S.C. 103(a) as being unpatentable over Jang as applied to claim 42 above, and further in view of Mahany (US. Pub No. 2003/0078006 A1).

Regarding **claim 49**, Jang teaches the device of Claim 42.

Jang is silent to teaching that wherein said one or more detection signals comprise one or more signals indicating one or more transitions in an energy level of the monitored frequency band. However, the claimed limitation is well known in the art as evidenced by Mahany.

In the same field of endeavor, Mahany teaches a device wherein said one or more detection signals comprise one or more signals indicating one or more transitions in an energy level of the monitored frequency band (see Mahany, para. [0248]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teaching of Jang with the teaching of Mahany in order to improve performance and communication throughput under both light and heavy communication loading (see Mahany, para. [0019]).

Response to Arguments

Applicant's arguments with respect to claims 26, 34 and 42 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to WEN W. HUANG whose telephone number is (571)272-7852. The examiner can normally be reached on 10am - 6pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on (571) 272-4177. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/W. W. H./
Examiner, Art Unit 2618

/Matthew D. Anderson/
Supervisory Patent Examiner, Art Unit 2618